

planika

PREMIUM FIREPLACES

DESIGN
BEV TECHNOLOGY
ECOLOGY



2025



INDEX

INTRODUCTION

02 OUR STORY

04 CUSTOM FIREPLACES

INDOOR COLLECTION

06 AUTOMATIC BEV® FIREPLACES

34 WATER VAPOUR & ELECTRIC FIREPLACES

44 GAS FIREPLACES

OUTDOOR COLLECTION

50 AUTOMATIC BEV® FIREPLACES

58 GAS FIREPLACES

82 COMMERCE® FIREPLACES





ourstory

Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

~This made it possible to give you truly unique solutions in fire design.

Planika

CUSTOM FIREPLACES

SKY IS THE LIMIT

Choose from our range of chimney-free fireplaces and tailor the solution to fit your project. Customize the color, finish, shape, length, and flame type. It's your project, your rules—we provide the solutions.


COLOUR AND FINISH OF A BURNER

Choose any RAL colour and one of three finishes - Matte, Silk or Gloss.



TECHNOLOGY


Choose the perfect technology for your project. BEV bio fireplaces offer a clean, eco-friendly flame, water vapor fireplaces create a realistic fire effect without heat, and LED technology gives full control over the fire's appearance.



CUSTOM FIREPLACES


SHAPE OF A BURNER

Personalize the shape to harmonize with the interior. Every detail is in your hands, allowing everything to align with your aesthetics and project needs.



DIMENSIONS OF A BURNER

Tailor the length of the burner to perfectly fit your space. Whether you need a compact or extended size, we offer flexibility in dimensions to match the scale of your project.



PROJECT DEPARTMENT

Our Project Department offers free project reviews to ensure safe distances and finishes. As part of your project, we can meet nearly any need and bring almost any idea to life.



AUTOMATIC BEV[®] FIREPLACES

INDOOR COLLECTION


Fire Line Automatic
BEV[®] Burner
Design by Porada

BEV[®] TECHNOLOGY

GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV[®] technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV[®] technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PLANIKA AUTOMATIC FIRE



HOW DOES THE BEV[®] TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

NET ZERO[®]


CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN

Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV[®] technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO₂ - neutral fireplaces of the future.

WHAT IS FANOLA FUEL?




HOW ARE PLANIKA'S BEV[®] FIREPLACES CO₂ NEUTRAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV[®] Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and the most natural fire. The clean burning of ethanol vapours emits only a small amount of CO₂ - similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



WORK WITH PROFFESIONALS



TECHNICAL TRAININGS



ARCHITECT ZONE WITH 3D MODELS




PROJECT SUPPORT

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER *(Net Zero® fireplace with BEV® Technology)*



FIRE LINE AUTOMATIC 4 (FLA4 BURNER)



FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- CO₂ sensor
- Top finish:
 - Black powder coating (standard)
 - Stainless steel (optional)
 - RAL colour (optional)

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



ARRANGEMENT OPTIONS



	FLA4						
	23.2"	31.1"	39.0"	46.9"	58.7"	78.3"	98.0"
	max. 10 580 BTU/h	max. 15 015 BTU/h	max. 23 885 BTU/h	max. 32 070 BTU/h	max. 44 420 BTU/h	max. 61 416 BTU/h	max. 76 743 BTU/h
	0.82 gal	1.14 gal	1.45 gal	1.80 gal	2.27 gal	3.09 gal	3.91 gal
	max. 5.0 h	max. 8.0 h	max. 8.0 h	max. 9.0 h	max. 9.0 h	max. 10.0 h	max. 10.0 h
	min. 1 095 ft³	min. 1 554 ft³	min. 2 472 ft³	min. 3 319 ft³	min. 4 593 ft³	min. 6 357 ft³	min. 7 947 ft³
	43.9 lb	53.1 lb	60.6 lb	72.8 lb	87.1 lb	109.1 lb	129.0 lb
	115 V						



Fire Line Automatic
BEV® Burner



Fire Line Automatic
BEV® Burner
Design by Iris

FIRST OF ITS KIND FIREPLACE ON A YACHT



Fire Line Automatic
BEV® Burner
Design by **Mondomarine**
Serenity yacht



Fire Line Automatic
BEV® Burner



Fire Line Automatic
BEV® Burner

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



FORMA FIREPLACE (with FLA4)



FEATURES

- FLA4 technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 7 lengths and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

ARRANGEMENT OPTIONS



FORMA FIREPLACE WITH FLA4							
	23.2"	31.1"	39.0"	46.9"	58.7"	78.3"	98.0"
	max. 10 580 BTU/h	max. 15 015 BTU/h	max. 23 885 BTU/h	max. 32 070 BTU/h	max. 44 420 BTU/h	max. 61 416 BTU/h	max. 76 743 BTU/h
	0.82 gal	1.14 gal	1.45 gal	1.80 gal	2.27 gal	3.09 gal	3.91 gal
	max. 5.0 h	max. 8.0 h	max. 8.0 h	max. 9.0 h	max. 9.0 h	max. 10.0 h	max. 10.0 h
	min. 1 095 ft³	min. 1 554 ft³	min. 2 472 ft³	min. 3 319 ft³	min. 4 593 ft³	min. 6 357 ft³	min. 7 947 ft³
	115 V						



Forma with Fire Line Automatic
BEV® Burner



Fire Line Automatic
Park Hyatt Auckland
Conran&Partners



Fire Line Automatic
BEV® Burner
Design by Azovski + Pahamova




Fire Line Automatic
BEV® burner

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



UFO FREESTANDING (with FLA4 990 burner)



UFO SUSPENDED (with FLA4 990 burner)



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO₂ sensor
- Smart Home System compatible
- Suspended or freestanding options

OPTIONAL ACCESSORIES

- Smart Home System module
- Trays with logs or stones

	UFO
	max. 23 885 BTU/h
	1.5 gal
	max. 8.0 h
	min. 2 472 ft³
	115 V

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



COMET BURNER



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO₂ sensor
- Top finish: black powder coating
- Smart Home System compatible
- Custom Pillar housing

OPTIONAL ACCESSORIES

- Smart Home System module

PILLAR (with Comet burner)



	COMET BURNER / PILLAR
	max. 22 500 BTU/h
	2.3 gal
	max. 17 h
	min. 2 331 ft³
	115 V

WATER VAPOUR FIREPLACES

INDOOR COLLECTION




OPTIMYST® TECHNOLOGY

DISCOVER WATER VAPOUR TECHNOLOGY FOR FIREPLACES









Optimyst technology is an advanced system that creates a highly realistic flame effect using water vapour. It offers a safe, energy-efficient, and eco-friendly alternative to traditional fireplaces, providing the ambiance of fire without actual combustion.

HOW DOES IT WORK?

An ultrasonic device produces mist, which is illuminated by the ActiveLED system, simulating real flames. Spectral lenses scatter light allowing for a full spectrum of flame colors and changes in their intensity. Multidimensional steam lighting gives a realistic flame effect, perfectly complementing any interior.



WHY WATER VAPOUR FIREPLACES?

- | | | | |
|---|---|---|--|
| 
EASY INSTALLATION
WITH NO CHIMNEY | 
SAFE TOUCH | 
ADJUSTABLE FLAME COLORS
(RGB PALETTE) | 
CONTROLLED BY
MOBILE APP OR A REMOTE |
| 
SOUND OF CRACKLING
WOOD | 
IMPROVES AIR QUALITY | 
UP TO 10M
FLAMELINE | 
ECO-FRIENDLY |



Cool Flame 1000 Fireplace
Water vapour Fireplace

INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

COOL FLAME INSERT




FEATURES

- Removable water tank - easy refilling
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Finish: black powder coating
- Technical glass
- Aromatherapy set

OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

COOL FLAME PRO INSERT







FEATURES

- Permanent water connection - no need for refilling
- Water filter
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Technical glass
- Aromatherapy set

OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

	COOL FLAME 500/1000/1500/2000 INSERT	COOL FLAME PRO 500/1000/1500/2000 INSERT
	0.3 gal / 0.6 gal / 1.0 gal / 1.3 gal	Permanent water connection
	max. 12 h	limitless
	17.6 lb / 32.0 lb / 55.1 lb / 66.1 lb	19.8 lb / 33.1 lb / 56.2 lb / 67.2 lb
	115 V	



Cool Flame 2000 Insert
Water vapour Fireplace



Cool Flame 1000 Insert
Water vapour Fireplace

INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

COOL FLAME / COOL FLAME PRO FIREPLACE



FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 4 installation options:



Single-sided



Left/Right corner




Three-sided

OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

COOL FLAME / COOL FLAME PRO SEE-THROUGH FIREPLACE



FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 3 installation options:



Tunnel



Room divider



Island

OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

	COOL FLAME 500/1000 FIREPLACE	COOL FLAME PRO 500/1000 FIREPLACE
	0.3 gal / 0.6 gal	Permanent water connection
	max. 12 h	limitless
	55.1 lb / 81.6 lb	7.3 lb / 61.7 lb
	115 V	

INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

AI (with Cool Flame insert)



FEATURES

- Features of Cool Flame
- Dedicated casing

OPTIONAL ACCESSORIES

- Decorative logs set

AURA (with Cool Flame 500 insert)



FEATURES

- Features of Cool Flame
- Dedicated casing
- Glass panels on sides (open front)
- Decorative logs set included

	AI 500/1000	AURA
	0.3 gal / 0.6 gal	0.3 gal
	max. 12 h	max. 12 h
	115 V	



AUTOMATIC BEV[®] FIREPLACES


OUTDOOR COLLECTION

OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)




CABO BURNER



- FEATURES
- Automatic refilling system
 - Remote control
 - Wi-Fi
 - 6 levels of flame
 - Safety sensors
 - Weather resistant
- OPTIONAL ACCESSORIES
- Protective fabric cover

CABO KRETA / LAURENT / DAZE



- FEATURES
- Cabo burner technical features
 - 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta
- OPTIONAL ACCESSORIES
- Protective fabric cover

CABO BURNER / KRETA / LAURENT / DAZE	
	max. 32 070 BTU/h
	2.77 gal
	max. 8 h
	min. 3 320.2 ft³ (if used indoors)
	115 V



Cabo Table Daze
BEV® Outdoor Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)



CABO TABLE LAURENT / KRETA / DAZE



FEATURES






- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

- Protective fabric cover

AVAILABLE FINISHING VARIANTS

- 3 finish options with  **DEKTON**® by Cosentino: Laurent/Daze/Kreta

CABO TABLE LAURENT / KRETA / DAZE	
	max. 32 070 BTU/h
	2.77 gal
	max. 15 h
	min. 3 320.2 ft³
	115 V



Cabo Laurent
BEV® Fireplace



Cabo Table Daze
BEV® Outdoor Fireplace

OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



PORTO CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable - includes wheels

OPTIONAL ACCESSORIES

- Protective fabric cover



Porto Daze
BEV® Fireplace

PORTO KRETA / LAURENT / DAZE



FEATURES

- Porto core technical features
- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES

- Protective fabric cover



Porto Laurent
BEV® Outdoor Fireplace

PORTO CORE / KRETA / LAURENT / DAZE	
	max. 12 623 BTU/h
	1.3 gal
	max. 14 h
	min. 1,307 ft³ (if used indoors)
	115 V




GAS FIREPLACES

OUTDOOR COLLECTION

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*


GALAXY 1150 / 2000 BURNER



FEATURES

- Automatic control system
- Remote control
- Wall switch panel
- Smart home compatible
- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

GALAXY DAZE / LAURENT / KRETA



FEATURES

- Galaxy burner technical features
- 3 finish options with **DEKTON**® by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



	GALAXY 1150 BURNER / DAZE / LAURENT / KRETA	GALAXY 2000 BURNER
	(NG) max. 34 460 BTU/h (LPG) max. 45 720 BTU/h	(NG) max. 63 470 BTU/h (LPG) max. 75 060 BTU/h
	(NG) max. 33.9 ft³/h (LPG) max. 2.1 lb/h	(NG) max. 62.5 ft³/h (LPG) max. 3.4 lb/h
	(NG) 8 inWC (LPG) 14.9 inWC	(NG) 8 inWC (LPG) 14.9 inWC



Galaxy Laurent
Outdoor Gas Fireplace



Galaxy Daze
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

GALAXY TABLE LAURENT / KRETA / DAZE



FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

- 3 finish options with **DEKTON**[®] by Cosentino: Laurent/Kreta/Daze

PIVOT LAURENT / KRETA / DAZE




FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

- 3 finish options with **DEKTON**[®] by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



	GALAXY TABLE LAURENT / KRETA / DAZE	PIVOT LAURENT / KRETA / DAZE
	(NG) max. 34 460 BTU/h (LPG) max. 45 720 BTU/h	(LPG) max. 40 260 BTU/h
	(NG) max. 33.9 ft³/h (LPG) max. 2.1 lb/h	(LPG) max. 2.1 lb/h
	(NG) 8 inWC (LPG) 14.9 inWC	(LPG) 14.9 inWC



Galaxy Table Laurent
Outdoor Gas Fireplace




Pivot Kreta
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*


GALIO INSERT AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN AUTOMATIC



FEATURES

- Galio insert automatic technical features
- 2 finishing options: corten or black steel

OPTIONAL ACCESSORIES



	GALIO INSERT AUTOMATIC		GALIO BLACK / CORTEN AUTOMATIC
	39.4"	78.7"	1140 mm
	(NG) max. 32 070 BTU/h (LPG) max. 40 260 BTU/h	(NG) max. 63 460 BTU/h (LPG) max. 75 100 BTU/h	(NG) max. 9.4 kW (LPG) max. 11.8 kW
	(NG) max. 35.3 ft³/h (LPG) max. 2.1 lb/h	(NG) max. 62.5 ft³/h (LPG) max. 3.44 lbs/h	(NG) max. 35.3 ft³/h (LPG) max. 2.1 lb/h
	(NG) 8 inWC (LPG) 14.9 inWC	(NG) 8 inWC (LPG) 14.9 inWC	(NG) 8 inWC (LPG) 14.9 inWC
	46.3 lb	72.8 lb	68.3 lb



Galio Insert
Outdoor Gas Fireplace




Galio Insert
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With manual control system)*


GALIO INSERT MANUAL



FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation


GALIO BLACK / CORTEN MANUAL



FEATURES

- Galio insert manual technical features
- 2 finishing options: corten or black steel

OPTIONAL ACCESSORIES



	GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL
	(NG) max. 46 400 BTU/h (LPG) max. 40 260 BTU/h
	(NG) max. 46 400 BTU/h (LPG) max. 40 260 BTU/h
	(NG) 20 mbar (NG) 8 inWC (LPG) 14.9 inWC
	28.7 lb / 68.3 lb



Galio Corten
Outdoor Gas Fireplace



Galio Black
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

GALIO STAR INSERT AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install

GALIO STAR CORTEN/BLACK AUTOMATIC



FEATURES

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel

OPTIONAL ACCESSORIES



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC
	(NG) max. 55 940 BTU/h (LPG) max. 59 040 BTU/h	
	(NG) max. 52.9 ft³/h (LPG) max. 3.1 lb/h	
	(NG) 8 inWC (LPG) 14.9 inWC	
	37.5 lb	81.6 lb



Galio Star Black Automatic
Outdoor Gas Fireplace



Galio Star Black Automatic
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*

STELLA INSERT MANUAL



FEATURES

- Manual control system
- Fueled with propane or propane-butane
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

STELLA TABLE DAZE/LAURENT/KRETA MANUAL






FEATURES

- Stella insert manual technical features
- 3 finish options with **DEKTON**® by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



	STELLA INSERT MANUAL			STELLA TABLE MANUAL
	19.7"	23.6"	31.5"	37.6"
	(LPG) max. 20 130 BTU/h	(LPG) max. 43 320 BTU/h	(LPG) max. 75 060 BTU/h	(LPG) max. 43 320 BTU/h
	(LPG) max. 0.8 lb/h	(LPG) max. 2.0 lb/h	(LPG) max. 3.4 lb/h	(LPG) max. 2.0 lb/h
	(LPG) 14.9 inWC			



Stella Insert
Outdoor Gas Fireplace



Stella Table Daze
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)

STELLA INSERT AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane)
or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

STELLA TABLE DAZE/LAURENT/KRETA AUTOMATIC






FEATURES

- Stella insert automatic technical features
- 3 finish options with  **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



	STELLA INSERT AUTOMATIC			STELLA TABLE AUTOMATIC
	19.7"	23.6"	31.5"	37.6"
	(NG) max. 16 030 BTU/h (LPG) max. 17 400 BTU/h	(NG) max. 32 400 BTU/h (LPG) max. 34 100 BTU/h	(NG) max. 55 940 BTU/h (LPG) max. 59 040 BTU/h	(NG) max. 55 940 BTU/h (LPG) max. 59 040 BTU/h
	(NG) max. 1.77 ft³/h (LPG) max. 0.9 lb/h	(NG) max. 30.0 ft³/h (LPG) max. 1.7 lb/h	(NG) max. 51.9 ft³/h (LPG) max. 3.0 lb/h	(NG) max. 51.9 ft³/h (LPG) max. 3.0 lb/h
	(NG) 8 inWC (LPG) 14.9 inWC			



Stella Insert
Outdoor Gas Fireplace



Stella Table Laurent
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic control system)*


OIA LAURENT / KRETA / DAZE



- FEATURES**
- Fueled with propane or propane-butane
 - Thermocouple
 - Tempered glass
 - Anti-tilt valve
 - Decorated with black diamond stones
 - Freestanding

- AVAILABLE VARIANTS**
- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES




ZOIA LAURENT / KRETA / DAZE



- FEATURES**
- Fueled with propane or propane-butane
 - Thermocouple
 - Tempered glass
 - Anti-tilt valve
 - Decorated with black diamond stones
 - Freestanding

- AVAILABLE VARIANTS**
- 3 finish options with **DEKTON®** by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



	OIA DAZE /LAURENT / KRETA	ZOIA DAZE /LAURENT / KRETA
	(LPG) max. 23 900 – 34 100 BTU/h	
	(LPG) max. 0.9 – 1.1 lb/h	
	(LPG) 14.9 inVC	



OIA Kreta
Outdoor Gas Fireplace




ZOIA Laurent
Outdoor Gas Fireplace

OUTDOOR GAS FIRES


GAS FIREPLACES *(With automatic control system)*

MICO MANUAL



- FEATURES**
- Manual control system
 - Fueled with propane or propane-butane
 - Thermocouple
 - Smooth flame height regulation
 - Decorative stones
 - For custom-built housing

MICO AUTOMATIC



- FEATURES**
- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane)
or Natural Gas
 - Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
 - Thermocouple
 - Smooth flame height regulation
 - Decorative stones
 - For custom-built housing

OPTIONAL ACCESSORIES



	MICO MANUAL			MICO AUTOMATIC		
	19.7"	23.6"	31.5"	19.7"	23.6"	31.5"
	(LPG) max. 20 130 BTU/h	(LPG) max. 43 320 BTU/h	(LPG) max. 75 060 BTU/h	(NG) max. 16 030 BTU/h (LPG) max. 17 400 BTU/h	(NG) max. 32 400 BTU/h (LPG) max. 34 100 BTU/h	(NG) max. 55 940 BTU/h (LPG) max. 59 040 BTU/h
	(LPG) max. 0.8 lb/h	(LPG) max. 2.0 lb/h	(LPG) max. 3.4 lb/h	(NG) max. 177 ft³/h (LPG) max. 0.9 lb/h	(NG) max. 30.0 ft³/h (LPG) max. 1.7 lb/h	(NG) max. 51.9 ft³/h (LPG) max. 3.0 lb/h
	(LPG) 14.9 inWC			(NG) 8 inWC (LPG) 14.9 inWC		



Mico Insert
Outdoor Gas Fireplace



Mico Insert
Outdoor Gas Fireplace

OUTDOOR GAS FIRES

GAS FIREPLACES *(With automatic and manual control system)*

GALIO H INSERT AUTOMATIC




FEATURES

- Automatic control system
- Fuel variants to choose before purchase:
Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing

OPTIONAL ACCESSORIES




FIKA



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding
- Glass panels
- Glass top plate

OPTIONAL ACCESSORIES



	GALIO H INSERT AUTOMATIC	FIKA
	(NG) max. 32 070 BTU/h (LPG) max. 40 260 BTU/h	(LPG) max. 23 900 – 34 100 BTU/h
	(NG) max. 35.3 ft³/h (LPG) max. 2.0 lb/h	(LPG) max. 1.1 – 1.4 lb/h
	(NG) 8 inWC (LPG) 14.9 inWC	(LPG) 14.9 inWC



Galio H Insert Automatic
Outdoor Gas Burner



Fika
Outdoor Gas Burner


OUTDOOR GAS FIRES





GAS FIREPLACES *(With automatic and manual control system)*

LIGHTHOUSE



- FEATURES**
- Fueled with propane or propane-butane
 - Thermocouple
 - Tempered glass
 - Anti-tilt valve
 - Decorated with black diamond stones
 - Freestanding



LIGHTHOUSE	
	(LPG) max. 23 900 – 34 100 BTU/h
	(LPG) max. 1.1 – 1.4 lb/h
	(LPG) 14.9 inWC
	60.6 lb



Lighthouse
Gas Patio Heater

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.