

PREMIUM FIREPLACES

DESIGN
BEV TECHNOLOGY
ECOLOGY

red don Wint of the

INDEX

INTRODUCTION

- OUR STORY
- CUSTOM FIREPLACES

INDOOR COLLECTION

- AUTOMATIC BEV® FIREPLACES
- WATER VAPOUR & ELECTRIC FIREPLACES
- GAS FIREPLACES

OUTDOOR COLLECTION

- AUTOMATIC BEV® FIREPLACES
- GAS FIREPLACES
- COMMERCE® FIREPLACES





ourstory

Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

~This made it possible to give you truly unique solutions in fire design.

Planika


CUSTOM FIREPLACES

SKY IS THE LIMIT

Choose from our range of chimney-free fireplaces and tailor the solution to fit your project. Customize the color, finish, shape, length, and flame type. It's your project, your rules—we provide the solutions.

COLOUR AND FINISH OF A BURNER

Choose any RAL colour and one of three finishes - Matte, Silk or Gloss.









TECHNOLOGY


Choose the perfect technology for your project. BEV bio fireplaces offer a clean, eco-friendly flame, water vapor fireplaces create a realistic fire effect without heat, and LED technology gives full control over the fire's appearance.



CUSTOM FIREPLACES


SHAPE OF A BURNER

Personalize the shape to harmonize with the interior. Every detail is in your hands, allowing everything to align with your aesthetics and project needs.




DIMENSIONS OF A BURNER

Tailor the length of the burner to perfectly fit your space. Whether you need a compact or extended size, we offer flexibility in dimensions to match the scale of your project.



PROJECT DEPARTMENT

Our Project Department offers free project reviews to ensure safe distances and finishes. As part of your project, we can meet nearly any need and bring almost any idea to life.






BEV® TECHNOLOGY

GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PLANIKA AUTOMATIC FIRE





WITHOUT CHIMNEY



NO SMELL, NO SOOT, NO ASH



NO CONTACT BETWEEN FUEL AND FIRE



N CONTROLLED BY MOBILE APP OR A REMOTE



AUTOMATIC REFUELLING



SAFETY SENSORS



REAL FIRE



EASY INSTALLATION

HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

NET ZERO®

CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO_2 - neutral fireplaces of the future.

WHAT IS FANOLA FUEL?



- 96% ethanol concentration
- odourless and clean combustion
- plant-origin distillate
- √ particulate-free
- multi-distillated
- pharmaceutical quality
- 🗸 natural, golden flame

HOW ARE PLANIKA'S BEV® FIREPLACES CO, NEUTRAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and

the most natural fire. The clean burning of ethanol vapours emits only a small amount of ${\rm CO}_2$ – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



WORK WITH PROFFESIONALS



TECHNICAL TRAININGS



ARCHITECT ZONE WITH 3D MODELS




PROJECT SUPPORT

INDOOR ETHANOL FIRES



AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)

FIRE LINE AUTOMATIC 4 (FLA4 BURNER)



FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- CO₂ sensor
- Top finish:
 - -Black powder coating (standard)
 - -Stainless steel (optional)
 - -RAL colour (optional)

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



ARRANGEMENT OPTIONS

















S	NI	C.I	E	S	n	F	n

LEFT / RIGHT CORNER

AGAINST **T**HE **W**ALL

ROOM DIVIDER

TUNNEL




				FLA4			
WITH THE	23.2"	31.1″	39.0"	46.9"	58.7"	78.3″	98.0"
+4+	max. 10 580 BTU/h	max. 15 015 BTU/h	max. 23 885 BTU/h	max. 32 070 BTU/h	max. 44 420 BTU/h	max. 61 416 BTU/h	max. 76 743 BTU/h
٥	0.82 gal	1.14 gal	1.45 gal	1.80 gal	2.27 gal	3.09 gal	3.91 gal
L D	max. 5.0 h	max. 8.0 h	max. 8.0 h	max. 9.0 h	max. 9.0 h	max. 10.0 h	max. 10.0 h
1	min. 1 095 ft³	min. 1 554 ft³	min. 2 472 ft³	min. 3 319 ft³	min. 4 593 ft³	min. 6 357 ft³	min. 7 947 ft³
i	43.9 lb	53.1 lb	60.6 lb	72.8 lb	87.1lb	109.1 lb	129.0 lb
, K				115 V			











INDOOR ETHANOL FIRES



AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

FORMA FIREPLACE (with FLA4)



FEATURES

- FLA4 technical features
- Zero clearance installation in combustible materials
- Heat deflector mount TV above the fireplace
- 7 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

OPTIONAL ACCESSORIES


- Decorative tray with logs or stones
- Smart Home System module

ARRANGEMENT OPTIONS




	FORMA FIREPLACE WITH FLA4						
WITTHE	23.2"	31.1"	39.0"	46.9"	58.7"	78.3"	98.0″
+&+	max. 10 580 BTU/h	max. 15 015 BTU/h	max. 23 885 BTU/h	max. 32 070 BTU/h	max. 44 420 BTU/h	max. 61 416 BTU/h	max. 76 743 BTU/h
۵	0.82 gal	1.14 gal	1.45 gal	1.80 gal	2.27 gal	3.09 gal	3.91 gal
6	max. 5.0 h	max. 8.0 h	max. 8.0 h	max. 9.0 h	max. 9.0 h	max. 10.0 h	max. 10.0 h
‡	min. 1 095 ft³	min. 1 554 ft³	min. 2 472 ft³	min. 3 319 ft³	min. 4 593 ft³	min. 6 3 <i>57</i> ft³	min. 7 947 ft³
, K	115 V						









INDOOR ETHANOL FIRES



AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

COMET BURNER



PILLAR (with Comet burner)




FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO₂ sensor
- Top finish: black powder coating
- Smart Home System compatibile
- Custom Pillar housing

OPTIONAL ACCESSORIES

Smart Home System module

	COMET BURNER / PILLAR
+4+	max. 22 500 BTU/h
	2.3 gal
L	max. 17 h
	min. 2 331 ft ³
jš.	115 V





WATER VAPOUR FIREPLACES

INDOOR COLLECTION




OPTIMYST® TECHNOLOGY

DISCOVER WATER VAPOUR TECHNOLOGY FOR FIREPLACES

Optimyst technology is an advanced system that creates a highly realistic flame effect using water vapour. It offers a safe, energy-efficient, and eco-friendly alternative to traditional fireplaces, providing the ambiance of fire without actual combustion.

HOW DOES IT WORK?

An ultrasonic device produces mist, which is illuminated by the ActiveLED system, simulating real flames. Spectral lenses scatter light allowing for a full spectrum of flame colors and changes in their intensity. Multidimensional steam lighting gives a realistic flame effect, perfectly complementing any interior.



WHY WATER VAPOUR FIREPLACES?



EASY INSTALLATION WITH NO CHIMNEY



SOUND OF CRACKLING WOOD



SAFE TOUCH





ADJUSTABLE FLAME COLORS (RGB PALETTE)



CONTROLLED BY MOBILE APP OR A REMOTE



IMPROVES AIR QUALITY



UP TO 10M FLAMELINE



ECO-FRIENDLY



INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

COOL FLAME INSERT



FEATURES

- Removable water tank easy refilling
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Finish: black powder coating
- Technical glass
- Aromatherapy set

OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

COOL FLAME PRO INSERT



FEATURES

- Permament water connection no need for refilling
- Water filter
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Technical glass
- Aromatherapy set

OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

	COOL FLAME 500/1000/1500/2000 INSERT	COOL FLAME PRO 500/1000/1500/2000 INSERT
۵	0.3 gal / 0.6 gal / 1.0 gal / 1.3 gal	Permament water connection
	max. 12 h	limitless
i	17.6 lb / 32.0 lb / 55.1 lb / 66.1 lb	19.8 lb / 33.1 lb / 56.2 lb / 67.2 lb
j.	11.	5 V





INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

COOL FLAME / COOL FLAME PRO FIREPLACE



FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 4 installation options:







Single-sided


Left/Right corner

Three-sided

OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

COOL FLAME / COOL FLAME PRO SEE-THROUGH FIREPLACE



FEATURES

- Features of Cool Flame / Cool Flame Pro
- Dedicated casing in 3 installation options:







OPTIONAL ACCESSORIES

- Decorative logs set
- RAL top plate painting

	COOL FLAME 500/1000 FIREPLACE	COOL FLAME PRO 500/1000 FIREPLACE
٥	0.3 gal / 0.6 gal	Permament water connection
	max. 12 h	limitless
i	55.1 lb / 81.6 lb	57.3 lb / 61.7 lb
X	11.	5 V

INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

Al (with Cool Flame insert)




FEATURES

- Features of Cool Flame
- Dedicated casing

OPTIONAL ACCESSORIES

Decorative logs set

	Al 500/1000
6	0.3 gal / 0.6 gal
L D	max. 12 h
, K	115 V





OUTDOOR / INDOOR ETHANOL FIRES



AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)

CABO BURNER




FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

OPTIONAL ACCESSORIES

Protective fabric cover

CABO KRETA / LAURENT / DAZE




FEATURES

- Cabo burner technical features
- 3 finish options with DEKTON by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES

Protective fabric cover

	CABO BURNER / KRETA / LAURENT / DAZE
+4+	max. 32 070 BTU/h
٥	2.77 gal
	max. 8 h
1	min. 3 320.2 ft³ (if used indoors)
, K	115 V



OUTDOOR / INDOOR ETHANOL FIRES



FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)

CABO TABLE LAURENT / KRETA / DAZE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant


OPTIONAL ACCESSORIES

Protective fabric cover

AVAILABLE FINISHING VARIANTS

• 3 finish options with **DEKTON** by Cosentino: Laurent/Daze/Kreta

	CABO TABLE LAURENT / KRETA / DAZE
+4+	max. 32 070 BTU/h
٥	2.77 gal
	max. 15 h
	min. 3 320.2 ft ³
, EX.	115 V



OUTDOOR / INDOOR ETHANOL FIRES



AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)

PORTO CORE



FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable includes wheels

OPTIONAL ACCESSORIES

Protective fabric cover

PORTO KRETA / LAURENT / DAZE



FEATURES

- Porto core technical features
- 3 finish options with DEKTON by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES

Protective fabric cover

	PORTO CORE / KRETA / LAURENT / DAZE
+4+	max. 12 623 BTU/h
٥	1.3 gal
	max. 14 h
1	min.1,307 ft³ (if used indoors)
Ď.	115 V










GAS FIREPLACES (With automatic control system)


GALAXY 1150 / 2000 BURNER



FEATURES

- Automatic control system
- Remote control
- Wall switch panel
- Smart home compatible
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

GALAXY DAZE / LAURENT / KRETA



FEATURES

- Galaxy burner technical features
- 3 finish options with **DEKTON** by Cosentino: Daze/Laurent/Kreta



	GALAXY 1150 BURNER / DAZE / LAURENT / KRETA	GALAXY 2000 BURNER
	(NG) max. 34 460 BTU/h (LPG) max. 45 720 BTU/h	(NG) max. 63 470 BTU/h (LPG) max. 75 060 BTU/h
GAS	(NG) max. 33.9 ft³/h (LPG) max. 2.1 lb/h	(NG) max. 62.5 ft³/h (LPG) max. 3.4 lb/h
\bigcirc	(NG) 8 inWC (LPG) 14.9 inWC	(NG) 8 inWC (LPG) 14.9 inWC





GAS FIREPLACES (With automatic control system)

GALAXY TABLE LAURENT / KRETA / DAZE



- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

AVAILABLE VARIANTS

3 finish options with **DEKTON** by Cosentino: Laurent/Kreta/Daze




	GALAXY TABLE LAURENT / KRETA / DAZE
•••	(NG) max. 34 460 BTU/h (LPG) max. 45 720 BTU/h
GAS	(NG) max. 33.9 ft³/h (LPG) max. 2.1 lb/h
	(NG) 8 inWC (LPG) 14.9 inWC





GAS FIREPLACES (With manual control system)


GALIO INSERT AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
 Gas Cylinder (propane or propane-butane) or
 Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN AUTOMATIC



FEATURES

- Galio insert automatic technical features
- 2 finishing options: corten or black steel




	GALIO INSERT AUTOMATIC		GALIO BLACK / CORTEN AUTOMATIC	
MARKATA	39.4"	78.7"	1140 mm	
+4>	(NG) max. 32 070 BTU/h	(NG) max. 63 460 BTU/h	(NG) max. 9.4 kW	
	(LPG) max. 40 260 BTU/h	(LPG) max. 75 100 BTU/h	(LPG) max. 11.8 kW	
GAS	(NG) max. 35.3 ft³/h	(NG) max. 62.5 ft³/h	(NG) max. 35.3 ft³/h	
	(LPG) max. 2.1 lb/h	(LPG) max. 3.44 lbs/h	(LPG) max. 2.1 lb/h	
	(NG) 8 inWC	(NG) 8 inWC	(NG) 8 inWC	
	(LPG) 14.9 inWC	(LPG) 14.9 inWC	(LPG) 14.9 inWC	
i	46.3 lb	72.8 lb	68.3 lb	





GAS FIREPLACES (With manual control system)

GALIO INSERT MANUAL



FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation

GALIO BLACK / CORTEN MANUAL



FEATURES

- Galio insert manual technical features
- 2 finishing options: corten or black steel



	GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL
+4+	(NG) max. 46 400 BTU/h (LPG) max. 40 260 BTU/h
GAS	(NG) max. 46 400 BTU/h (LPG) max. 40 260 BTU/h
(i)	(NG) 20 mbor (NG) 8 inWC (LPG) 14.9 inWC
i	28.7 lb / 68.3 lb





GAS FIREPLACES (With automatic control system)

GALIO STAR INSERT AUTOMATIC



Gas Cylinder (propane or propane-butane) or Natural Gas

FEATURES

- Remote controlWall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation

Automatic control system

Fuel variants to choose before purchase:

- Decorated with black diamond stones
- For custom-built housing
- Easy to install

GALIO STAR CORTEN/BLACK AUTOMATIC




FEATURES

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel



	GALIO STAR INSERT AUTOMATIC GALIO STAR BLACK AUTOMATIC GALIO STAR BLACK AUTOMATIC		
+4+	(NG) max. 55 940 BTU/h (LPG) max. 59 040 BTU/h		
GAS	(NG) max. 52.9 ft³/h (LPG) max. 3.1 lb/h		
	(NG) 8 inWC (LPG) 14.9 inWC		
Ĭ	37.5 lb 81.6 lb		





GAS FIREPLACES (With automatic control system)

STELLA INSERT AUTOMATIC



FEATURES

- Fuel variants to choose before purchase:
 Gas Cylinder (propane or propane-butane)
 or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

STELLA TABLE DAZE/LAURENT/KRETA AUTOMATIC



FEATURES

- Stella insert automatic technical features
- 3 finish options with DEKTON by Cosentino: Daze/Laurent/Kreta



	STELLA INSERT AUTOMATIC			STELLA TABLE AUTOMATIC	
WINTER TO	19.7"	23.6"	31.5″	37.6″	
+4+	(NG) max. 16 030 BTU/h (LPG) max. 17 400 BTU/h	(NG) max. 32 400 BTU/h (LPG) max. 34 100 BTU/h	(NG) max. 55 940 BTU/h (LPG) max. 59 040 BTU/h	(NG) max. 55 940 BTU/h (LPG) max. 59 040 BTU/h	
GAS	(NG) max. 17.7 ft³/h (LPG) max. 0.9 lb/h	(NG) max. 30.0 ft³/h (LPG) max. 1.7 lb/h	(NG) max. 51.9 ft³/h (LPG) max. 3.0 lb/h	(NG) max. 51.9 ft³/h (LPG) max. 3.0 lb/h	
\bigcirc	(NG) 8 inWC (LPG) 14.9 inWC				





GAS FIREPLACES (With automatic control system)

OIA LAURENT / KRETA / DAZE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

AVAILABLE VARIANTS

3 finish options with DEKTON*
 by Cosentino: Daze/Laurent/Kreta

OPTIONAL ACCESSORIES



ZOIA LAURENT / KRETA / DAZE



FEATURES


- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

AVAILABLE VARIANTS

• 3 finish options with DEKTON*
by Cosentino: Daze/Laurent/Kreta



	OIA DAZE /LAURENT / KRETA	ZOIA DAZE /LAURENT / KRETA
+4+	(LPG) max. 23 90	0 – 34 100 BTU/h
GAS		
	(LPG) 14	.9 inWC






GAS FIREPLACES (With automatic control system)

GALIO H INSERT AUTOMATIC



MICO AUTOMATIC



FEATURES

- Automatic control system
- Fuel variants to choose before purchase:
 Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing

FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
 - remote control included
 - wall switch panel
 - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing



	GALIO H INSERT AUTOMATIC	MICO AUTOMATIC		
MARTIN	23.6"	19.7"	23.6"	31.5"
+4+	(NG) max. 32 070 BTU/h (LPG) max. 40 260 BTU/h	(NG) max. 16 030 BTU/h (LPG) max. 17 400 BTU/h	(NG) max. 32 400 BTU/h (LPG) max. 34 100 BTU/h	(NG) max. 55 940 BTU/h (LPG) max. 59 040 BTU/h
GAS	(NG) max. 35.3 ft³/h (LPG) max. 2.0 lb/h	(NG) max. 17.7 ft³/h (LPG) max. 0.9 lb/h	(NG) max. 30.0 ft³/h (LPG) max. 1.7 lb/h	(NG) max. 51.9 ft³/h (LPG) max. 3.0 lb/h
	(NG) 8 inWC (LPG) 14.9 inWC	(NG) 8 inWC (LPG) 14.9 inWC		





GAS FIREPLACES (With automatic and manual control system)

LIGHTHOUSE



FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding



	LIGHTHOUSE
+4+	(LPG) max. 23 900 – 34 100 BTU/h
GAS	(LPG) max. 1.1 – 1.4 lb/h
	(LPG) 14.9 inWC
i	60.6 lb



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (callectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccurates or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. stems and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o. o's products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

© Copyright 2025, Planika Sp. z o.o. All rights reserved.